

**Clinical Diagnostic Testing Services Price List**

CAT. #	CPT CODE* as applied by PROMETHEUS	Prometheus Test
<b>1800</b>		<b>PROMETHEUS® IBD sgi Diagnostic</b>
	83520	ASCA (Anti- <i>Saccharomyces cerevisiae</i> ) ELISA, IgA specific
	83520	ASCA (Anti- <i>Saccharomyces cerevisiae</i> ) ELISA, IgG specific
	83520	ANCA (Anti-Human Neutrophil Cytoplasmic Antibody) ELISA, IgG specific
	83520	Anti-OmpC ELISA, IgA specific
	83520	Anti-CBir1 ELISA
	83520	Fla2 ELISA
	83520	FlaX ELISA
	83520	VEGF ELISA
	82397	ICAM Chemiluminescent Assay
	82397	VCAM Chemiluminescent Assay
	82397	SAA Chemiluminescent Assay
	86140	CRP
	88347	pANCA; Indirect Immunofluorescent assay IgG specific
	88347	DNase sensitivity; Indirect Immunofluorescent assay IgG specific, DNase digested slide
	83907*	Lysis of cells prior to nucleic acid extraction
	83898	PCR, DNA Marker ATG16L1
	83898	PCR, DNA Marker ECM1
	83898	PCR, DNA Marker NKX2-3
	83898	PCR, DNA Marker STAT3
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83912	Interpretation and Report
		<b>with PROMETHEUS® Crohn's Prognostic</b>
	83520	Anti-I2 ELISA
	83907*	Lysis of cells prior to nucleic acid extraction
	83898	PCR, DNA Marker C2104T (R702W)
	83898	PCR, DNA Marker G2722C (G908R)
	83898	PCR, DNA Marker 3020insC (1007FS)
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83912	Interpretation and Report
		<b>Subtotal for Crohn's Prognostic</b>
		<b>Combined Total for IBD sgi Diagnostic and Crohn's Prognostic when ordered together</b>
<b>2001</b>		<b>PROMETHEUS Crohn's Prognostic</b>
	83520	ASCA (Anti- <i>Saccharomyces cerevisiae</i> ) ELISA, IgA specific
	83520	ASCA (Anti- <i>Saccharomyces cerevisiae</i> ) ELISA, IgG specific
	83520	Anti-OmpC ELISA, IgA specific
	83520	Anti-CBir1 ELISA
	83520	Anti-I2 ELISA
	88347	pANCA; Indirect Immunofluorescent assay IgG specific
	88347	DNase sensitivity; Indirect Immunofluorescent assay IgG specific, DNase digested slide
	83907	Lysis of cells prior to nucleic acid extraction
	83898	PCR, DNA Marker C2104T (R702W)
	83898	PCR, DNA Marker G2722C (G908R)
	83898	PCR, DNA Marker 3020insC (1007FS)
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83896	Nucleic acid probe, each
	83912	Interpretation and Report

CAT. #	CPT CODE* as applied by PROMETHEUS	Prometheus Test
<b>3300</b>		<b>PROMETHEUS® TPMT Genetics (genotype)</b>
	<b>83907</b>	Lysis of cells prior to nucleic acid extraction
		<b>Amplification of patient nucleic acid for three different DNA sequences</b>
	<b>83898</b>	PCR, DNA Marker G238C
	<b>83898</b>	PCR, DNA Marker G460A
	<b>83898</b>	PCR, DNA Marker A719G
	<b>83896</b>	Nucleic Acid Probe G238C FAM MGB probe
	<b>83896</b>	Nucleic Acid Probe G238C VIC MGB probe
	<b>83896</b>	Nucleic Acid Probe G460A FAM MGB probe
	<b>83896</b>	Nucleic Acid Probe G460A VIC MGB probe
	<b>83896</b>	Nucleic Acid Probe A719G FAM MGB probe
	<b>83896</b>	Nucleic Acid Probe A719G VIC MGB probe
	<b>83912</b>	Interpretation and Report
<b>3320</b>		<b>PROMETHEUS® TPMT Enzyme (TPMT enzyme activity-phenotype)</b>
	<b>82657</b>	TPMT (thiopurine S-methyltransferase) enzyme activity in peripheral RBC
	<b>82491</b>	Quantitative HPLC (High Pressure Liquid Chromatography) for 6-methyl-thioguanine
<b>3200</b>		<b>PROMETHEUS® Thiopurine Metabolites (thiopurine metabolite level monitoring)</b>
	<b>82491</b>	Quantitative HPLC (High Pressure Liquid Chromatography) for 6-thioguanine (6-TGN) in peripheral RBC, separate stationary and mobile phase
	<b>82491</b>	Quantitative HPLC (High Pressure Liquid Chromatography) for 6-methyl-mercaptopurine (6-MMPN) in peripheral RBC, separate stationary and mobile phase
<b>3130</b>		<b>PROMETHEUS® Serum Infliximab/HACA Measurement</b>
	<b>83520</b>	Human Anti-Chimeric Antibody (HACA), Infliximab-specific ELISA
<b>3120</b>	<b>83520</b>	Serum Infliximab Level (only) - may be ordered separately
<b>4000</b>		<b>PROMETHEUS® FIBRO Spect® II (All 3 assays MUST be performed for a FIBRO Spect II result)</b>
	<b>83883</b>	AMG (alpha2 macroglobulin), by Nephelometry
	<b>83520</b>	HA (Hyaluronic Acid), ELISA, quantitative
	<b>83520</b>	TIMP-1(Tissue Inhibitor of Metalloproteinase, Type 1), ELISA, quantitative
<b>6355</b>		<b>PROMETHEUS® Celiac PLUS (Includes both PROMETHEUS® Celiac Serology and PROMETHEUS® Celiac Genetics.)</b>
	<b>83520</b>	Deamidated Gliadin Peptide Antibody ELISA, IgA specific
	<b>83520</b>	Deamidated Gliadin Peptide Antibody ELISA, IgG specific
	<b>83520</b>	Anti-Human Tissue Transglutaminase (hu-tTG) ELISA, IgA Recombinant antigen
	<b>88347</b>	Anti-Endomysial (EMA) IgA antibody by IFA
	<b>82784</b>	Total Serum IgA, by Nephelometry
	<b>83891</b>	Isolation or extraction of highly purified nucleic acid
	<b>83900</b>	Amplification of patient nucleic acid, multiplex, first two nucleic acid sequences for DQA1
	<b>83900</b>	Amplification of patient nucleic acid, multiplex, first two nucleic acid sequences for DQB1
	<b>83896 (x72)</b>	Nucleic acid probes, DQA1 and DQB1 (x72)
	<b>83912</b>	Interpretation and Report
<b>6201</b>		<b>PROMETHEUS Celiac Genetics (HLA DQ2 &amp; HLA DQ8)</b>
	<b>83891</b>	Isolation or extraction of highly purified nucleic acid
	<b>83900</b>	Amplification of patient nucleic acid, multiplex, first two nucleic acid sequences for DQA1
	<b>83900</b>	Amplification of patient nucleic acid, multiplex, first two nucleic acid sequences for DQB1
	<b>83896 (x72)</b>	Nucleic acid probes, DQA1 and DQB1 (x72)
	<b>83912</b>	Interpretation and Report
<b>1155</b>		<b>PROMETHEUS Celiac Serology</b>
	<b>1255 83520</b>	Deamidated Gliadin Peptide Antibody ELISA, IgA specific
	<b>1355 83520</b>	Deamidated Gliadin Peptide Antibody ELISA, IgG specific
	<b>1405 83520</b>	Anti-Human Tissue Transglutaminase (hu-tTG) ELISA, IgA Recombinant antigen
	<b>1505 88347</b>	Anti-Endomysial (EMA) IgA antibody by IFA
	<b>1605 82784</b>	Total Serum IgA, by Nephelometry

CAT. #	CPT CODE* as applied by PROMETHEUS	Prometheus Test
<b>6100</b>		<b>PROMETHEUS® LactoTYPE®</b>
	<b>83907</b>	Lysis of cells prior to nucleic acid extraction
	<b>83896</b>	Nucleic acid probe, each
	<b>83896</b>	Nucleic acid probe, each
	<b>83898</b>	Amplification of patient nucleic acid
	<b>83912</b>	Interpretation and Report
<b>6000</b>		<b>PROMETHEUS® NOD2/CARD15</b>
	<b>83907</b>	Lysis of cells prior to nucleic acid extraction
		<b>Amplification of patient nucleic acid for three different DNA sequences</b>
	<b>83898</b>	PCR, DNA Marker C2104T (R702W)
	<b>83898</b>	PCR, DNA Marker G2722C (G908R)
	<b>83898</b>	PCR, DNA Marker 3020insC (1007FS)
	<b>83896</b>	Nucleic acid probe, each
	<b>83896</b>	Nucleic acid probe, each
	<b>83896</b>	Nucleic acid probe, each
	<b>83896</b>	Nucleic acid probe, each
	<b>83896</b>	Nucleic acid probe, each
	<b>83896</b>	Nucleic acid probe, each
	<b>83896</b>	Nucleic acid probe, each
	<b>83912</b>	Interpretation and Report

PROMETHEUS, the Link Design, LactoTYPE and FIBRO*Spect* are registered trademarks of Prometheus Laboratories Inc.

\*If the IBD sgi Diagnostic is billed with the Crohn's Prognostic you will only be charged for one lysis of cells (83907).

©2011 Prometheus Laboratories Inc. All rights reserved. DX11091a 9/11

See [www.prometheuslabs.com](http://www.prometheuslabs.com) for further information.